

Tech Specs

Colos-Saal
Roßmarkt 19, 63739 Aschaffenburg
Tel. 06021/27239
e-mail: info@colos-saal.de
homepage: www.colos-saal.de

Sound:

F.O.H.

Desk:

Soundcraft Vi600 digital console or
Soundcraft Vi200 digital console

PA:

06 x d&b 402 Top
04 x d&b 402 Sub
02 x d&b B2 Subwoofer
02 x d&b E3 Nearfill

Monitor:

Desk:

Soundcraft Vi 400 digital console

Wedges:

08 x d&b M6
04 x d&b Max 15/2

Fills:

02 x Sidefill d&b Max 15/2
02 x Drumfill d&b 402 Sub + d&b Max 15/2

Mic`s:

AKG:

01 x D112
02 x C414

Audix:

02 x D2
01 x D4
01 x D6
02 x I5

Beyer:

02 x MCE 81

02 x M 201

Neumann:

04 x KM 184

Sennheiser:

06 x 421

05 x 441

06 x e604

03 x e606

02 x e945

Shure:

02 x Beta 52A

01 x Beta 56A

03 x Beta 57A

07 x Beta 58A

01 x Beta 91

02 x Beta 91A

07 x SM 57

07 x SM 58

04 x SM 81

06 x SM 98D

Shure wireless:

02 x UR4D

04 x UR2 Handsender

04 x Beta 58A Kapsel

04 x SM 58 Kapsel

Misc:

05 x Radial J48 DI (active)

04 x whirlwind Hotbox (active)

04 x whirlwind DI(passive)

02 x Radial JDI (passive)

01 x Radial D2 (stereo passive)

02 x Radial JDI (stereo passive)

01 x 8 channel Behringer DI (active)

Light:

Controller:

MA Lighting grandMA 2 light + MA Lighting grandMA 2 fader wing or
JB-Lighting Licon 1X

Conventional lighting fixtures front:

04 x Ignition Romeo 1000W Fresnel/PC

08 x PAR-64 CP62 500W

10 x ETC Source Four 575W Junior Zoom 25°-50°

Conventional lighting fixtures stage:

18 x PAR-64 CP60 500W (back)

06 x PAR-64 CP60 + CP62 500W (side)

04 x PAR-36 2-Light

02 x PAR-36 4-Light

02 x LOOK Solutions Unique 2.1 Stagehazer

Intelligent lighting fixtures stage:

08 x Cameo Studio PAR 64 LED RGBAW+UV

08 x Cameo PIXbar 600 pro

10 x Cameo ThunderWash 600 RGBW

24 x Cameo Q-Spot 40 LED pin spot (ACL replacement)

03 x Martin Atomic 3000

06 x JB-Lighting JBLED A4

10 x Robe Lighting LEDBeam 150

06 x JB-Lighting Varyscan P7

Intelligent lighting fixtures room:

06 x Cameo Root Par 6

06 x Cameo ThunderWash 600 RGBW

06 x Cameo Aurobeam 150

Stage:

Info:

8m x 5m x 1m (width x depth x height)
Be Aware!!! Clearance varies between 2.75m and 3.00m!!!
Clearance under Lighting Fixtures 2.40m
7.5m Backdrop Pipe

Riser:

07 x Riser 2m x 1m, variable in height between 20cm and 100cm
01 x Riser 2m x 0.5m, variable in height between 20cm and 100cm
02 x Riser 1m x 0.5m, variable in height between 20cm and 100cm

Power:

CEE 32A SL
CEE 16A SR
Schuko 16A @ SL, SR and BofS

Multicore:

08 x Cat7 FOH -> SR
04 x analog sends/returns 3p

